In-stent restenosis stops here.
RELINE with confidence.



Angiogram of diffuse in-stent restenosis pre-treatment



Final angiogram post-treatment with GORE® VIABAHN® Endoprosthesis

Proven performance that lasts

The GORE® VIABAHN® Endoprosthesis with PROPATEN Bioactive Surface* delivers:

- **Exceptional patency for in-stent restenosis lesions**[1]
  66.3% of in-stent restenosis patients did not require a TLR within two years of receiving the GORE® VIABAHN® Endoprosthesis, versus only 23.0% for PTA alone.**, [2]
- **Complete coverage**
  25 cm length, proven CBAS Heparin Surface technology†, and ePTFE liner for a long-lasting solution

* PROPATEN Bioactive Surface is synonymous with the CBAS Heparin Surface
** Based on Kaplan-Meier estimate
† See full CBAS Heparin Surface references at goremedical.com/cbas

GORE
VIABAHN® ENDOPROSTHESIS
PROPATEN BIOACTIVE SURFACE

The RELINE Clinical Study

Multi-center randomized trial comparing the performance of the GORE® VIABAHN® Endoprosthesis with PTA in treatment of in-stent restenosis of the SFA.

Per-protocol results summary

Lesion Characteristics[1]		
	PTA (n = 44) *	GORE® VIABAHN® Endoprosthesis (n=39)
Average Lesion Length (mm)	190 (30–270) **	173 (30–330)
Chronic Total Occlusions	25.0%	23.1%
Calcified Lesions	25.0% †	33.3%

* Nine bailout procedures after failed PTA
** Missing data on three patients
† Missing data on one patient

24-month primary patency: GORE® VIABAHN® Endoprosthesis versus PTA[2]



24-month freedom from TLR: GORE® VIABAHN® Endoprosthesis versus PTA[2]



1. Bosiers M, Deloose K, Callaert J, *et al.* Superiority of stent-grafts for in-stent restenosis in the superficial femoral artery: twelve-month results from a multicenter randomized trial. *Journal of Endovascular Therapy* 2015;22(1):1-10.
2. GORE® VIABAHN® Endoprosthesis with Heparin Bioactive Surface [*Instructions for Use*]. Flagstaff, AZ: W. L. Gore & Associates, Inc; 2016. MD140714. http://www.goremedical.com/assets/MD140714/MD147177.pdf

GORE
Creative Technologies Worldwide

W. L. Gore & Associates, Inc.
Flagstaff, AZ 86004

+65.67332882 (Asia Pacific)
00800.6334.4673 (Europe)
800.437.8181 (United States)
928.779.2771 (United States)

goremedical.com

The GORE® VIABAHN® Endoprosthesis with PROPATEN Bioactive Surface is sold in some markets as the GORE® VIABAHN® Endoprosthesis with Heparin Bioactive Surface.

Products listed may not be available in all markets.